



## Storage & Transport

[www.francehopital.com](http://www.francehopital.com)

**francehopital**<sup>®</sup>  
*trolleys for healthcare*



*When it comes to transportation and storage, the professional attaches particular importance to quality, security and user-friendliness. Our products have been specifically designed to meet these requirements, assuring high quality and minimizing the efforts. We propose premium solutions for healthcare logistics, to store and move goods inside and outside the hospital.*

## **Storage & Transport**

# Index

1. *PRECISO*..... 4  
*Carts for Logistics*
2. *ISO-SHELVING* ..... 12
3. *MOSYS* ..... 14  
*Wire chromed modular system*
4. *MOSYS SPACE*..... 18  
*High density storage system*
5. *Stainless steel shelving system* ..... 20
6. *PERMODUL*  
*Trolleys and shelving units* ..... 22
7. *Stainless steel trolleys* ..... 24
8. *Universal transport trolley* ..... 26
9. *Roll-containers & Roll-boxes* ..... 28
10. *Stainless steel containers* ..... 30
11. *Stainless steel cabinets*..... 31



## PRECISO Carts for Healthcare Logistics



To store and to move goods (medications, disposables and medical devices) inside and outside the hospital.

*When precision meets logic the result is amazing!*

*Extruded aluminium angulars, lateral and back walls made of an Aluminium and Polyethylene multi-layer.*

*Top and base in moulded ABS plastic with reinforced steel frame.*

*4 twin wheels Ø 125 mm, non marking, anti thread and with ball bearing*

*- 1 with directional and brake system and 1 with brake system*

*>> Internal moulded plastic ISO-rails to store either ISO-Modules (baskets and trays) and PRECISO plastic drawers, or accessories.*

*This results in a robust, lightweight assembled structure of a remarkably high quality and precision.*



>>> Mauve rolling shutter in ABS plastic  
and aluminium handles.  
Easily removable for cleaning




With rolling shutter  
H. 1100 mm



TRS110



TRS110D



TRS110T

The PRECISO Carts are available single, double and triple – in 3 different heights: 1100 mm, 1400 mm and 1800 mm – and in multiple configurations.

With rolling shutter  
H. 1400 mm



TRS140



TRS140D



TRS140T

With rolling shutter  
H. 1800 mm



*TRS180*



*TRS180D*



*TRS180T*

# PRECISO Carts for Healthcare Logistics

With drawers



*TRS110D-CI*



*TRS140-CI*



*TRS180-CI*





TRS140\_BIN



TRS180-V\_MED

| Technical specifications |                   |                                 |            |                                 |
|--------------------------|-------------------|---------------------------------|------------|---------------------------------|
| Product codes            |                   | Single                          | Double     | Triple                          |
|                          | <b>H. 1100 mm</b> |                                 |            |                                 |
|                          | Rolling shutter   | TRS110                          | TRS110D    | TRS110T                         |
|                          | Drawers           | TRS110-CI                       | TRS110D-CI | TRS110T-CI                      |
|                          | Front opened      | TRS110-V                        | TRS110D-V  | TRS110T-V                       |
| ISO-rails                |                   | 27                              | 27+27      | 27+27+27                        |
|                          | <b>H. 1400 mm</b> |                                 |            |                                 |
|                          | Rolling shutter   | TRS140                          | TRS140D    | TRS140T                         |
|                          | Drawers           | TRS140-CI                       | TRS140D-CI | TRS140T-CI                      |
|                          | Front opened      | TRS140-V                        | TRS140D-V  | TRS140T-V                       |
| ISO-rails                |                   | 41                              | 41+41      | 41+41+41                        |
|                          | <b>H. 1800 mm</b> |                                 |            |                                 |
|                          | Rolling shutter   | TRS180                          | TRS180D    | TRS180T                         |
|                          | Drawers           | TRS180-CI                       | TRS180D-CI | TRS180T-CI                      |
|                          | Front opened      | TRS180-V                        | TRS180D-V  | TRS180T-V                       |
| ISO-rails                |                   | 55                              | 55+55      | 55+55+55                        |
| Dim. WxD mm              |                   | 830x650                         | 1390x571   | 2039x571                        |
| Wheels                   |                   | Twin 4x Ø 125 mm – 2 with brake |            | Twin 6x Ø 125 mm – 2 with brake |

# PRECISO Carts for Healthcare Logistics

With frontal opened compartment



## Drawers, ISO-Modules and accessories

All the PRECISO Carts are internally equipped with moulded plastic ISO-rails to store both ISO-Modules (baskets and trays) and PRECISO plastic drawers – as well as many several accessories.



>>> Drawers available in heights: 76, 156 and 236 mm

>>> ISO-modules available in heights: 50, 100 and 200 mm

For both drawers and ISO-modules are available internal dividers


## Accessories on demand




*Push-handle*



*Push-handle*



*ISO-baskets & Trays 600x400x50 /  
100 / 200 mm*



*Tray for medicine-bins*



*Vertical dividers for patient folders*



*Lateral folding surface in HPL*



*Lateral accessory rail*



*PRECISO Drawers H. 76 / 156 / 236 mm*




*Electronic keypad lock*



*ISO-shelf*

## To storage ISO-Modules and PRECISO drawers




SCFIS04-1M

ISO-Shelving with epoxy powder enamel in mauve colour.  
Modular system to combine multiple configurations, with deep 600 and 400 mm.

Structure 30x30x20 mm with holes to fix the adjustable and removable rails, both in horizontally and sloping position. Removable rails in painted steel.

Stopping system to avoid the complete and easily exist of the ISO-Module.

Height adjustable feet



ISO-Baskets and Trays 600x400 mm  
(load capacity 25 kg each)  
- H. 50 (3 ISO-rails)  
- H. 100 (5 ISO-rails)  
- H. 200 (8 ISO-rails)




PRECISO drawers  
(load capacity 25 kg each)  
- H. 76 (3 ISO-rails)  
- H. 156 (6 ISO-rails)  
- H. 236 (9 ISO-rails)



Shelves in painted steel  
600x400 mm or 600x600 mm  
(load capacity 150 kg each)

| Technical specifications |                 |                 |
|--------------------------|-----------------|-----------------|
|                          | Lateral 600 mm  | Lateral 400 mm  |
| Products code            | SCFIS06-1M      | SCFIS04-1M      |
| Model                    | Single shelving | Single shelving |
| Material                 | Painted steel   |                 |
| ISO-rails                | 54              |                 |
| Dim. mm (LxDxH)          | 465x610x2010    | 600x400x2010    |







*Modular composition -  
tailor-made solutions on demand*

| <i>Components</i>                 |  |                     |                                   |  |                     |
|-----------------------------------|--|---------------------|-----------------------------------|--|---------------------|
| <i>Width 600 mm - deep 400 mm</i> |  |                     | <i>Width 400 mm - deep 600 mm</i> |  |                     |
|                                   | <i>START-modul 600x400</i>   | <i>600x400x2000</i> | <i>SCF-4MAS</i>                   | <i>START-modul 400x600</i>   | <i>400x600x2000</i> |
| <i>SCF-6M1</i>                    | <i>MIDDLE-modul 600x400</i>  | <i>600x400x2000</i> | <i>SCF-4M1</i>                    | <i>MIDDLE-modul 400x600</i>  | <i>400x600x2000</i> |
| <i>SCF-6MCS</i>                   | <i>END-modul 600x400</i>   | <i>600x400x2000</i> | <i>SCF-4MCS</i>                   | <i>END-modul 400x600</i>   | <i>400x600x2000</i> |
| <i>SCF-6MR</i>                    | <i>SHELF-MID-modul for shelves 600x400<br/>complete with 3 shelves</i> | <i>600x400x2000</i> | <i>SCF-4MR</i>                    | <i>SHELF-MID-modul for shelves 600x600<br/>complete with 3 shelves</i> | <i>600x600x2000</i> |
| <i>Rails</i>                      |  |                     | <i>Shelves</i>                    |  |                     |
| <i>SCF-GL4C</i>                   | <i>Pair of rails - deep 400 mm</i>                                     | <i>400</i>          | <i>SCF-RIP64</i>                  | <i>Shelf 600 x deep 400 mm</i>   | <i>600x400</i>      |
| <i>SCF-GL6 C</i>                  | <i>Pair of rails - deep 600 mm</i>                                     | <i>600</i>          | <i>SCF-RIP66</i>                  | <i>Shelf 600 x deep 600 mm</i>   | <i>600x600</i>      |

# MOSYS


## Wire chromed modular system - Standard models



*The Ready-to-Assemble MOSYS system, in chromed plated steel, allows building any kind of carts and shelving units, thanks to variety of elements and its easy of assembly.*

*The MOSYS system can be used in: storage, exhibition areas, archives, shops, cellars, cold rooms, washing room, wards and for all transport and logistical needs.*

### MOSYS components and accessories



dividers - asta appendiabiti - HR D



edge fences - L



side handles - HB



upholding stems & plastic clips - R & TABS

**Shelving for linen sorting and distribution**

For sorting, storage and transportation of linen and clothing. Each post can be tagged. Several combinations.



**Vertical shelving trolleys**

Flexible and functional.



adjustable steel feet - LBH




plastic bins/drawers BOX



telescopic clothing holders - TCR



label holders - BM



wardrobe holders - HR

# MOSYS

*Coats stand trolleys  
With 1 or 2 shelves*



*Combined shelving trolleys  
According to your specific needs, you can configure the shelving  
units by combining different elements and accessories.*





**Service trolleys**  
With 1, 2 or more shelves.



**Service trolleys with reinforced frame**  
Special wheels and reinforced frame for heavyweight transports.



**Fixed shelving units**  
Linear as well as angular shelving, feet adjustable in height.


| Technical specifications |                              |                            |          |                        |
|--------------------------|------------------------------|----------------------------|----------|------------------------|
| Code                     | Description                  | Available dimensions (mm)  |          |                        |
|                          |                              | Wide                       | Deep     | Height                 |
| P                        | Poles                        |                            |          | 1400, 1600, 1900, 2200 |
| U                        | Handle poles                 |                            | 460, 610 |                        |
| W                        | Shelves                      | 610, 910, 1220, 1520, 1820 | 460, 610 |                        |
| R                        | Upholding stems              |                            |          | 1335, 1540, 1845, 2150 |
| D                        | Dividers                     |                            | 460, 610 |                        |
| L                        | Edge fences                  | 460, 610, 910, 1220, 1525  |          |                        |
| HR                       | Wardrobe holder              | 910, 1220, 1525            |          |                        |
| HB                       | Side handles                 |                            | 460, 610 |                        |
| C125 / B                 | wheels Ø 125 mm / with brake |                            |          |                        |

## MOSYS SPACE High density storage system




*The MOSYS SPACE system is based upon a series of mobile shelving units placed between two fixed units and connected through a set of guiding tubes.*

*The mobile shelves slide left and right along the tubes. This leaves just one corridor to access the shelving. The mobile shelving unit can easily be moved along its tracks, even when fully loaded. MOSYS SPACE can increase storage capacity by 30 to 45%.*



**+ 33% storage space**



**Layout example with and without MOSYS SPACE**

*Without MOSYS SPACE you need 3 access corridors to the shelving.  
With MOSYS SPACE you need only 1 corridor, leaving 30-45% more storage space available.*



**Assembling Mosys**

*MOSYS SPACE can be assembled without any tools, thanks to its plastic clip cone fastening device. A few simple steps bring shelves and poles together.*

**Flexibility**

*Many configurations are available using different sizes of shelves and poles. Each shelving can have a different number of shelves, and their height can easily be changed at any time. This allows efficient space allocation as need's change.*

**Hygiene**

*Thanks to the rails situated on top of the system, MOSYS SPACE allows easy cleaning of the floor.*

**Safety**

*The possibility of accidents is reduced because the guiding railings are mounted on top and not on the floor.*

**Visibility**

*Stored items are easily visible because of the wire shelve's transparency. Moreover, mobile shelves are accessible from both sides.*

## Stainless steel shelving system



*Easy and quick to assemble, you can fix and adjust the shelves only by locating or relocating the fastening connector on the posts.*

*Shelves are of two types: solid or perforated (hole 7x14 – step 50x50 mm) both with 40 mm height. Shelves are reinforced with an omega, capacity 150 kg each.*

*Posts (pipe Ø 40 mm) are grooved at 100 mm increments.*

*It is possible to add wheels and bumpers to mobile units.*





Available also in different depth:  
400, 500 and 600 mm

| <i>Technical specifications</i> |  |
|---------------------------------|--|
| <i>Product code</i>             | <i>SCBL (solid) / SCBF (perforated)</i>      |
| <i>Dimensions (mm)</i>          | <i>several dimensions</i>                    |
| <i>Materials</i>                | <i>stainless steel AISI 304</i>              |
| <i>Wheels</i>                   | <i>4 Ø 125 mm, 2 with brake (if present)</i> |

## PERMODUL Trolleys and shelving units



*PERMODUL system combines the lightness of the aluminium posts with the strong polymer of the shelves. The two elements can easily be assembled without tools thanks to the ingenious fastening system. The specific bases allow to compose both trolleys and fixed shelving units. The original ergonomic push handle protects the hands and helps driving the trolley. Several accessories complete the multipurpose trolleys.*



*Technical specifications*

|  |  |
|--|--|
| <i>Product codes</i>                               | <i>PMC52 &amp; PMC53</i>                             |
| <i>Dimensions (mm)</i>                             | <i>900x600x1030 h</i>                                |
| <i>Capacity (kg)</i>                               | <i>160</i>   |
| <i>Materials</i><br><i>Shelves</i><br><i>Posts</i> | <i>polymer</i><br><i>anodised extruded aluminium</i> |
| <i>Wheels</i>                                      | <i>4 Ø 125 mm, 2 with brake</i>                      |



## Stainless steel trolleys

Entirely in stainless steel AISI304, these multifunction trolleys are from a functional and hygienic point of view, the ideal solution for daily transport inside the wards.



CS962



CS963



CS962-1C  
1 drawer h 155

### With moulded shelves

| Technical specifications |                          |           |
|--------------------------|--------------------------|-----------|
| Products codes           | CS962                    | CS963     |
| Shelves                  | 2 shelves                | 3 shelves |
| Dimensions (mm)          | 1000 x 690 x 1005        |           |
| Materials                | stainless steel AISI 304 |           |
| Wheels                   | 4 Ø 125 mm, 2 with brake |           |



CS962-2CP  
2 drawers h 155



CS962-2C  
2 drawers h 155 - 235






CS962RL

*With flat shelves*



C3P000-06-4

*With removable shelves*



ECMWAL

EC2T25

ES1T25



UCBCT

UCBRT

UCPF

We can produce custom made models to suit all needs. On request with antistatic wheels.

| Technical specifications |                           |                 |                  |
|--------------------------|---------------------------|-----------------|------------------|
| Products codes           | C3P000-06-4               | C3P000-08-5     | C3P000-10-5      |
| Shelves                  | 3 (available also with 2) |                 |                  |
| Dimensions (mm)          | 680 x 490 x 950           | 880 x 590 x 950 | 1080 x 690 x 950 |
| Materials                | stainless steel AISI 304  |                 |                  |
| Wheels                   | 4 Ø 125 mm, 2 with brake  |                 |                  |

#### Accessories

UCBCT: round stainless steel basin with holder Ø 150x70 h

UCBRT: rectangular stainless steel basin with holder 280x200x50 h

UCPF: bottle holders in stainless steel, 4 holes Ø 80 mm, 405x100x65 h

ECMWAL: MAXIWALLY knee-opening bin 20 l. with support

EC2T25: 50 l. plastic waste bin with lid and holder

ES1T25: 12 l. plastic bucket with handle and holder

## Universal transport trolley



CTLB



CTLA11

All-purpose transportation carts, they can be used in ward, laundry, storage and many other settings. Wholly in stainless steel AISI304, they can be configured according to your needs. Special heavy-duty wheels for heavy loads.



CTLB10



CTLB20



CTLB11



CTLB21



CTLA

**Multipurpose modular trolley**

4 wheels Ø 100 mm (2 fix and 2 swivelling) base in powder coated steel; wire walls in steel coated with brilliant electrolytic zinc.

With 1, 2, 3 or 4 sides - capacity 300 kg – dim.: 530x900x900 h mm



CCM



| Technical specifications |   |        |                 |        |                 |        |
|--------------------------|---|--------|-----------------|--------|-----------------|--------|
| Products codes           | CTLA10  | CTLA11 | CTLB10          | CTLB11 | CTLB20          | CTLB21 |
| Dimensions (mm)          | 1050x750x1700 h                               |        | 1050x750x1100 h |        | 1350x750x1100 h |        |
| Materials                | stainless steel AISI 304                      |        |                 |        |                 |        |
| Wheels                   | 4 Ø 200 mm, 2 fix and 2 swivelling with brake |        |                 |        |                 |        |

## Roll-containers & Roll-boxes

Roll-containers and roll-boxes with plastic or steel base, nestable or closed on four sides, with high or low (when a trolley) lateral sides, in steel coat with brilliant electrolytic zinc or in epoxy powder coated steel. The ideal solution for moving a large variety of goods, orders preparation, linen and waste transportation, and all type of handling inside and outside the hospital.

Available in a wide range of sizes, configurations and finishings.



### **Roll-box**

Tubular frame welded to wire sides. With 2, 3 and 4 lateral sides and wire shelf. On request fabric straps with stretcher and custom-made solutions.

Capacity 500 kg - h 1800 mm

Available also with plastic base.



### **Service roll-container**

Especially suitable for internal movements, the storage and display of medium size goods.

Structure in steel coat with brilliant electrolytic zinc, 5 powder coated steel shelves with 3 rims.

4 wheels Ø 100 mm - h 1800 mm



RM

**Roll-maxi**

In steel coat with brilliant electrolytic zinc, silver colour  
 Wire mesh 100x400 mm sides and base mesh 30x150 mm  
 Frontal side with \_ height opening  
 4 wheels Ø 100 mm (2 fix and 2 swivelling);  
 wire walls in steel coated with brilliant electrolytic zinc.  
 Capacity 500 kg – dim.: 1200x800x1800 h mm



RS

**Full-security roll-container**

For the safe and secure transportation of a wide range of goods.  
 4 wheels Ø 125 mm base with 3 sides, 270° opening door and  
 roof in wire mesh 50x50 steel.  
 Internal wire shelf, label and internal protective covering on  
 request. Possibility of padlock.  
 Capacity 500 kg – h 1800 mm



RA

**Shelf roll-container**

Usable for internal warehouse movements  
 and also for display of goods.  
 3 jointed sides; height and tilt angle adjustable wire shelves.  
 On request covering in Polionda®  
 Capacity 500 kg – h 1800 mm

## Stainless steel containers



**CT40**  
*Multiuse stainless steel container, suitable e.g. to organise and optimise the distribution of the clean laundry from the laundry room to the ward and vice versa.*



**CT200**  
*Ideal for outwards transportation and large quantity of goods. Extremely solidly built.*



**CT80**  
*With double door, closing system by lever and key. On request towing hook and wheels Ø 160 for outdoor transport.*

| Technical specifications |                                      |               |                 |
|--------------------------|--------------------------------------|---------------|-----------------|
| Products codes           | CT40                                 | CT80          | CT200           |
| Dimensions (mm)          | 680x550x1150 h                       | 1230x750x1340 | 1230x750x1750 h |
| Materials                | entirely in stainless steel AISI 304 |               |                 |
| Wheels                   | 4 Ø 125 mm                           | 4 Ø 150 mm    | 4 Ø 160 mm      |

## Stainless steel cabinets



*The great experience and versatility in producing stainless steel allow us to design and manufacture personalised, rational and easy-to-use solutions.*

- 100% AISI304
- Rounded corners
- Height adjustable shelves
- Scotch-brite finishing
- Wheels and/or feet adjustable in high
- Custom-made dimensions
- Double or sliding doors with glass

***Customized solution on demand***



**FRANCEHOPITAL S.A.S.**

Z.I. Ouest Rue Georges Besse  
B.P. 50030  
F-67151 ERSTEIN Cedex / FRANCE  
Tél. +33 03 88 59 87 87  
Fax +33 03 88 98 04 44  
[francehospital@francehospital.fr](mailto:francehospital@francehospital.fr)

Export Office  
via Bolzano, 2  
I-39011 Lana / BOLZANO - ITALY  
Tel. +39 0473 55 26 11  
Fax +39 0473 55 26 99  
[italia@francehospital.com](mailto:italia@francehospital.com)  
[export@francehospital.com](mailto:export@francehospital.com)